



A NEW FORCE IN CHEMICAL MANUFACTURING

Unit 2, 14-16 Lee Holm Road
St Marys NSW 2760
Australia

Ph: 1300 738 250 (Australia)
Ph: +61 2 9833 9766 (International)
Fax: 02 9623 3670

sales@chemtools.com.au
www.chemtools.com.au

SAFETY DATA SHEET

ISSUED SEPTEMBER 2014 (VALID 5 YEARS FROM DATE OF ISSUE)

FRGP KLEANIUM GP AEROSOL

SECTION 1 - IDENTIFICATION OF THE MATERIAL

Chemtools Pty Ltd
Unit 2/14-16 Lee Holm Road
St Marys NSW 2760

Phone: 1300 738 250 (business hours)
Fax: 02 9623 3670
www.chemtools.com.au

PRODUCT NAME Kleanium GP Flux Remover Aerosol
PRODUCT TYPE Flux Solvent for Industrial Use
PART NUMBER CT-FRGP-300
AVAILABLE SIZES 300g

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS	CAS #	%	TWA (HSIS)	STEL (HSIS)
2-methyl pentane	107-83-5	30-60	50ppm 1760mg/m ³	1000ppm 3500mg/m ³
Propan-2-ol	67-63-0	10-30	400ppm 983mg/m ³	500ppm 1230mg/m ³
Propylene glycol monomethyl ether	107-98-2	10-30	100ppm 369mg/m ³	150ppm 553mg/m ³
Cyclohexane	110-82-7	<10	100ppm 350mg/m ³	300ppm 1050mg/m ³
n-hexane	110-54-3	<10	20ppm 72mg/m ³	
Carbon dioxide	124-38-9	<10	5000ppm 9000mg/m ³	30,000ppm 54,000mg/m ³

SECTION 3 - HAZARDS IDENTIFICATION

Hazard Classification: Hazardous Material, Dangerous Goods according to the criteria of SafeWork Australia and the ADG-7 code)

Risk Phrases:
R11 – Highly flammable
R22 – Harmful if swallowed
R36/38 – Irritating to eyes and skin.
R67 – Vapours may cause drowsiness and dizziness.
R51 - Toxic to aquatic organisms.
R52 - Harmful to aquatic organisms.

Safety Phrases:	R53 - May cause long-term adverse effects in the aquatic environment. S20 – When using do not eat or drink S21 – When using do not smoke S51 – Use only in well ventilated areas. S24/25 – Avoid contact with skin and eyes.
Relevant routes of exposure:	Skin, Inhalation, Eyes
Potential Health Effects	
Inhalation:	May cause respiratory tract irritation. High concentrations of vapours may cause headache, fatigue, drowsiness and dizziness.
Skin contact:	May cause allergic skin reaction. May cause skin irritation. Product has a defatting effect on skin. Prolonged contact may cause dryness of skin.
Eye contact:	Contact with eyes will cause irritation.
Ingestion:	Harmful. May cause lung damage if swallowed.

SECTION 4 - FIRST AID MEASURES

Inhalation:	Remove to fresh air. If symptoms develop and persist, get medical attention.
Skin contact:	Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur.
Eye contact:	Check for and remove any contact lenses. Immediately flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time. Get medical attention.
Ingestion:	Do not induce vomiting. Rinse mouth thoroughly. Loosen any tight clothing. Keep individual calm. Obtain medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

Flash point:	0°C Cleveland closed cup
Autoignition temperature:	>200°C
Flammable/Explosive limits-lower %:	0.7%
Flammable/Explosive limits-upper %:	8.3%
Extinguishing media:	Foam, dry chemical or carbon dioxide.
Special fire fighting procedures:	None
Unusual fire or explosion hazards:	None
Hazardous combustion products:	Oxides of carbon. Irritating organic vapours. Keep run-off water out of sewers and water sources.
Hazchem Code:	2[Y]E

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Environmental precautions:	Extinguish all ignition sources. Ventilate well. Use approved respirator if air contamination is above accepted level. Prevent product from entering drains or open waters.
Clean-up methods:	Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

SECTION 7 - HANDLING AND STORAGE

Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing vapour and mist. Wash thoroughly after handling.
Storage:	For safe storage, store at or below 38°C (100°F). Keep in a cool, well-ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.
Incompatible products:	Refer to Section 10.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls:	No specific ventilation requirements noted, but forced ventilation may still be required if concentrations exceed occupational exposure limits.
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s).
Skin protection:	Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves. butyl rubber gloves. Natural rubber gloves.
Eye/face protection:	Safety goggles or safety glasses with side shields.

See Section 2 for exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid in aerosol canister.
Colour:	Clear, colourless.
Odour:	Organic solvents.
pH:	Not available
Boiling point/range:	>80°C.
Melting point/range:	Not available
Specific gravity:	0.78 at 20°C.
Vapour density:	>1
Evaporation rate:	Not available
Solubility in water:	Insoluble.

SECTION 10 - STABILITY AND REACTIVITY

Stability:	Stable under normal conditions of use.
Hazardous polymerization:	Will not occur.
Hazardous decomposition products:	Oxides of carbon.
Incompatibility:	Strong oxidizers. Strong reducing agents
Conditions to avoid:	See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).

SECTION 11 - TOXICOLOGICAL INFORMATION

Product toxicity data:

2-methyl pentane	Expected to be of low toxicity: LD ₅₀ >2000mg/kg, Rat. Aspiration into lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal.
n-hexane	Oral: LD ₅₀ 28,710 mg/Kg (rat). Irritation eye: 10 mg mild (rabbit). Investigated as a tumorigen, mutagen and reproductive effector. Carcinogenic effects: None by IARC

Isopropyl alcohol	Oral: LD ₅₀ 5,045 mg/Kg (rat). Skin: LD ₅₀ 12.8g/Kg (rabbit) Inhalation LC ₅₀ : 16,000ppm/8hr (rat) Investigated as a tumorigen, mutagen, and reproductive effector. Carcinogenic effects: IARC Category 3
1-methoxy-2-propanol	Oral: LD ₅₀ 5,660 mg/Kg (rat). Skin: LD ₅₀ 13.0g/Kg (rabbit) Inhalation LC ₅₀ : 10,000ppm/5hr (rat) Investigated as a reproductive effector Carcinogenic effects: None by IARC
Cyclohexane	Oral: LD ₅₀ >2,000 mg/Kg (rat). Skin: LD ₅₀ >2g/Kg (rat) Inhalation LC ₅₀ : >20mg/L/4hr (rat) Investigated as a carcinogen.

SECTION 12 - ECOLOGICAL INFORMATION

Ecological information: Dangerous to the environment if discharged into watercourses.

SECTION 13 - DISPOSAL CONSIDERATIONS

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

SECTION 14 - TRANSPORT INFORMATION

Domestic (Land) ADG:

Proper shipping name: AEROSOLS
UN No.: 1950
Hazard class or division: 2[Y]E
Packing group: None allocated



IMDG:

Proper shipping name: AEROSOLS
Identification No.: UN1950
Hazard class or division: 2.1
Packing group: None allocated
Marine Pollutant: No



International Air Transportation (ICAO/IATA):

Proper shipping name: AEROSOLS
Hazard class or division: 2.1
Identification number: 1950
Packing group: None allocated

SECTION 15 - REGULATORY INFORMATION

Poisons Schedule (SUSDP): Not Listed.

NOHSC: Hazardous.

GHS Pictograms:



SECTION 16 – OTHER INFORMATION

Abbreviations/Acronyms:

NOHSC – National Occupational Health and Safety Commission.
NIOSH – National Institute of Occupational Health and Safety.
ACGIH – American Conference of Government Industrial Hygienists.
HSIS – Hazardous Substances Information System
SUSDP – Standard for the Uniform Scheduling of Drugs and Poisons.
TWA – Time Weighted Average
TLV – Threshold Limit Value.
STEL – Short Term Exposure Limit
PEL – Permissible Exposure Limit
SUSDP – Standard for the Uniform Scheduling of Drugs & Poisons.
ADG – Australian Dangerous Goods
IARC – International Agency for Research on Cancer

DISCLAIMER

The information contained within this MSDS applies only to the Chemtools product to which the sheet relates.

The information provided is based on our best knowledge at the time of issue.

The information contained within this MSDS is believed to be accurate and is given in good faith. However, no warranty is made, either expressed or implied, regarding its accuracy or any liability arising out of the use of the information herein or the product supplied.

When used in other preparations, formulations, or in mixtures, it is necessary to ascertain whether the classifications of the hazards have changed. The attention of the user is drawn to the possibility of creating other hazards when the product is used for purposes other than that for which it was recommended. In such cases, a reassessment may be necessary and should be made by the user.

This safety data sheet should only be used and reproduced in order that the necessary measures are taken relating to the protection of health and safety at work.

It is the responsibility of the handlers to pass on the totality of the information contained within this document to any subsequent person(s) who will come in to contact with, handle or use this product in any way.

They should check the adequacy of the information provided within this MSDS before passing it on to their customers/staff.